

D

INDEX MAPS.

T. 9 N. R. 10 W. 2nd Mer.

	137	138	138	138	138	138	
	140	140	139	139	139	139	
142	6	160	5	155	4	152	3
	148	2	145	1	137		
	160	161	159	155	157	148	145
141	7	139	8	154	9	151	10
	148	11	144	12	137		
	157	161	159	154	151	147	144
141	18	158	17	154	16	151	15
	147	14	144	13	136		
	158	161	158	154	150	147	145
141	19	138	20	153	21	150	22
	146	23	145	24	136		
	157	157	153	150	146	143	
140	30	157	29	153	28	149	27
	146	26	142	25	136		
	156	156	152	149	145	142	
140	31	156	32	152	33	149	34
	145	35	142	36	136		
	133	133	133	133	134	134	
	135	135	135	135			

T. 10 N. R. 10 W. 2nd Mer.

	167	168	168	168	168	168	
	169	169	169	169	169	169	
172	6	189	5	185	4	182	3
	178	2	175	1	167		
	189	188	185	181	178	175	
172	7	188	8	184	9	181	10
	178	11	175	12	167		
	188	188	184	181	177	174	
171	18	188	17	184	16	181	15
	177	14	174	13	166		
	187	187	183	180	177	174	
171	19	187	20	183	21	180	22
	177	23	174	24	166		
	187	186	183	180	176	173	
171	30	186	29	183	28	179	27
	176	26	173	25	166		
	186	186	182	179	176	173	
171	31	185	32	182	33	179	34
	175	35	172	36	165		
	163	163	163	163	163	164	
	165	165	165	164	164		

Meanders - 189

The figures on the lines refer to the page.

East	On a Ran. am. line On the South 137 of sec. 35. T. 9 N. R. 10 W.	
31.00	To a Creek 70 lbs. wide corner S. W.	
40.00	Set a temp. post in sec. 35.	
64.00	To a small Brook corner S. W.	
80.00	Set a temp. post for the cor. of Sec 35 & 36. Land and timber same.	
East	On a Ran. am. line On the South 137 of sec. 36. T. 9 N. R. 10 W.	
36.50	To a Brook 5 lbs. wide, corner S.	
40.00	Set a temp. post for the cor. of N. W.	
69.00	To a Brook 12 lbs. wide, corner S.	
75.50	To a Brook 12 " " " S. W.	
79.67	Enter out the Range line 9 lbs. North of the temp. post cor. of sec. 35 & 36. T. 8 & 9 N. R. 9 & 10 W. Land and timber nearly the same; rather inferior than west.	
West	On the true line On the South 137 of sec. 36. T. 9 N. R. 10 W.	C. 99
40.00	Set a temp. post at the true line from which Beck 10 in dist. bears N 9 E. 21 lbs. dist; to Do. 11 " " " 55 N 30 " "	
80.00	Set the temp. post on the true line for the cor. of sec. 35 & 36. from which Sycamore 9 in dist. bears N 39 E. 24 lbs. dist and to N Oak 18 " " " N 39 N 34 " "	
West	On the true line On the South 137 of sec. 35. T. 9 N. R. 10 W.	
40.00	Set the temp. post on the true line from which N Oak 10 in dist. bears S 20 E. 7 lbs. dist; to Do. 20 " " " N 42 E. 22 " "	
80.00	Set the temp. post on the true line from the cor. of Sec. 34 & 35 from which Sycamore 27 in dist. bears N 33 E. 32 lbs. dist; to	

I. N. 9 N. R. N. 1077 Q. and M. Ind. 135

Elem. 18 in dist. beam. S 70 E. 34 lbs ash; +

West	On the true line On the South B. of sec. 34. I. 9 N. R. 1077
40.00	Set the temporary post from which, N Oak 13 in dist. beam. S 75 E. 18 lbs ash; + Maple, 27 " " " S 70 W. 33 " "
80.00	Set the temporary post on the true line for the corner of sec. 33 & 34 from which, Sugar. 10 in dist. beam. S 81 W. 35 lbs ash and a Loc. 9 " " " S 63 E. 52 " "

West	On the true line On the South B. of sec. 33. I. 9 N. R. 1077
40.00	Set the temporary post on the true line from which, Beck. 10 in dist. beam. S 42 W. 5 lbs ash; + Sugar. 10 " " " S 27 W. 33 " "
80.00	Set the temporary post on the true line for the corner of sec. 32 & 33. from which, Sugar. 10 in dist. beam. S 42 W. 26 lbs ash and a Loc. 12 " " " S 9 E. 11 " "

West	On the true line On the South B. of sec. 33. I. 9 N. R. 1077
40.00	Set the temporary post on the true line from which, Sugar. 12 in dist. beam. S 52 E. 24 lbs ash; + Loc. 10 " " " S 85 W. 45 " "
80.00	Set a temporary post on the true line for the corner of sec. 31 & 32 from which, N Oak. 11 in dist. beam. S 21 E. 18 lbs ash and a Hickory 10 " " " N 67 E. 23 " "

West	On the true line On the South B. of sec. 31. I. 9 N. R. 1077
40.00	Set the temporary post on the true line from which, N Oak 12 in dist. beam. S 79 E. 19 lbs ash; + Beck. 10 " " " S 63 W. 38 " "
79.67	Set a post at the intersection of the line for the corner I. 9 N. R. 1077 from which.

Lugan. 9 in dist. from S 62 E. 5 lbs dist. to
Elm 12 " " " S 35 W 23 " "

East Bound. Y. 6. 40 N. W.

North On the East B. of sec. 36. T. 9 N. R. 10 W.

1.00 To a lot 10 lbs with Corn S. W.

40.00 Set a post from which
Beck 14 in dist. from S 19 W 48 lbs dist. to
Lugan. 11 " " " S 75 W 36 " "

50.50 To a lot 6 lbs with Corn S. W.

80.00 Set a post for the cu of sec. 25 T 36. from which
Heik 12 in dist. from S 59 W 22 lbs dist. to
Beck. 11 " " " S 59 E. 12 " "

Said a little rolling and good for farming
Timber Beck, Lugan. Elm, Ash, Heik

C 97

North On the East B. of sec. 25 T. 9 N. R. 10 W

40.00 Set a post from which
Lugan. 12 in dist. from S 27 E. 36 lbs dist. to
Elm. 13 " " " S 11 E 50 " "

80.00 Set a post for the cu of sec. 24 & 25 from which
Lugan. 12 in dist. from S 9 W. 40 lbs dist. to
Do. 16 " " " S 16 E 62 " "

Said timber some; very handsome & rich for
farming;

North On the East B. of sec. 34. T. 9 N. R. 10 W

5.50 To a lot 50 lbs with Corn S. W.

40.00 A Heik 12 in dist. stands for the cu of sec.

80.00 Set a post for the cu of sec. 13 & 24 from which
W. Oak 18 in dist. from S 81 W 12 lbs dist. to
Heik. 16 " " " S 75 E. 8 " "

Said land and 2nd rate and good for grass
Timber Beck, Lugan. Elm, Oak, Poplar Ash.

See

North On the East B. of sec. 13. T. 9 N. R. 10 W

J. N. 9 N.R. N. 10 N. Quad. Min. Ind. ¹³⁷

40.00	Set a $\frac{1}{4}$ sup post from which, Beak 12 in dist. from N 61 E. 23 lbs ash; to W Oak 36 " " " S 40 W. 9 " "
80.00	Set a post for the cn of sec. 12 & 13 from which, Beak 9 in dist. from N 72 E. 6 lbs ash; to Huts 13 " " " N 81 W 8. "
	Send card written same.

North	On the East B.Y. of sec. 12 J. 9 N.R. 10 W.
10.00	To a Brook 9 lbs mts, corner S.E.
40.00	Set a $\frac{1}{4}$ sup post from which Elev 9 in dist. from S 42 E. 9 lbs ash; to Maple. — " " " N 21 W 16 "
80.00	Set a post for the cn of sec. 1 & 12 from which, Maple. 12 in dist. from S 16 W 34 lbs ash; to W Oak 9 " " " North 71 " "
	Send card and note; Timber Oak, Gum, Maple &c. 3rd rate;

North	On the East B.Y. of sec. 1, J. 9 N.R. 10 W.
40.00	Set a $\frac{1}{4}$ sup post from which, Beak 16 in dist. from S 56 E. 17 lbs ash; to Do. 13 " " " N 16 E. 50 " "
80.00	Set a temporary post for the cn of sec. 1, 6, 31 & 36. J. 9 & 10. N.R. 9 & 10 W
	Send $\frac{1}{2}$ p. mts of sec. last $\frac{1}{2}$ mile good for farming in Timber Beak, Sugar, & Apple.

North Boundary		C. III
East	On a Roman line On the South B.Y. of sec. 31. T 10 N. R. 10 W.	
32.00	To a Brook 100 Yds. north corner J.	
40.00	Set a temporary post for the	
80.00	Set " " post for the cor. of sec. 31 & 32 Found low bottom which was floor.	

East	On a Random line On the South 1/2 of sec. 32 T. 10 N. R. 10 W.
40.00	Set a temporary 1/4 sec. post
80.00	Set a " " post for the cor. of sec. 32 & 33. Land 1st 1/2 mile level and rather wet; last 1/2 mile Good wheat land Timber Oak & Hickory principally
East	On a Random line On the South 1/2 of sec. 33 T. 10 N. R. 10 W.
40.00	Set a temporary 1/4 sec. post
80.00	" " " post for the cor. of sec. 33 & 34. Land level and rather wet; Timber Mostly Oak, & Hickory
East	On a Random line On the South 1/2 of sec. 34. T. 10 N. R. 10 W.
40.00	Set a temporary 1/4 sec. post.
80.00	" " " post for the cor. of sec. 34 & 35. Land level and part good for farming & part rather wet; Timber Oak Hickory Sugar. Ash & Elm.
East	On a Random line On the South 1/2 of sec. 35. T. 10 N. R. 10 W.
40.00	Set a temporary 1/4 sec. post
80.00	" " " post for the cor. of sec. 35 & 36. The greater part of this mile rich and handsome farming land; some part rather wet; Timber Beech, Sugar Elm, Ash &c.
East	On a Random line On the South 1/2 of sec. 36. T. 10 N. R. 10 W.
40.00	Set a temporary 1/4 sec. post
68.50	To a small Brook crosses NW
78.07	Intersect the N. 1/2 line 144 lbs. South of the temporary post cor. of T. 9 & 10. N. R. 9 & 10 W. Land Same.

April 18. 1817

139

T. N. 9 N. R. N. 15 N. 2nd Mer. End.

West	On the true line On the South 137 of sec. 36. T. 15 N. R. 10 W.	
40,00	Set the temporary 1/4 sec post on the true line from which, W Oak 24 in diam. bears N 57 W. 23 lbs. cash; or Do. 24 " " " S 27 W. 20 " "	C 12
80,00	Set the temporary post on the true line for the cor. of sec. 35 136. from which, Sugar 9 in diam. bears N 49 W. 27 lbs. cash under Elm. 10 " " " S 55 E. 3 " "	
West	On the true line On the South 137 of sec. 35. T. 15 N. R. 10 W.	
40,00	Set the temporary 1/4 sec post on the true line from which, or Elm. 24 in diam. bears S 27 E. 6 lbs. cash; or Maple. 10 " " " N 27 W. 16 " "	
80,00	Set the temporary post on the true line for the cor. of sec. 34 135 from which, Sugar 12 in diam. bears N 66 W. - lbs. cash under Do. 12 " " " S 27 W. 23 " "	
West	On the true line On the South 137 of sec. 34 T. 15 N. R. 10 W.	
40,00	Set the temporary 1/4 sec post on the true line from which, Elm. 10 in diam. bears N 44 E. 38 lbs. cash; or Do. 12 " " " S 55 W. 16 " "	
80,00	Set the temporary post on the true line for the cor. of sec. 33 134 from which, W Oak 11 in diam. bears N 46 E. 28 lbs. cash under W Oak 10 " " " S 5 W. 73 " "	
West	On the true line On the South 137 of sec. 33. T. 15 N. R. 10 W.	
40,00	Set a temporary 1/4 sec post on the true line from which, or Elm. 14 in diam. bears N 20 E. 23 lbs. cash; or Do. 13 " " " S 62 E. 41 " "	
80,00	Set the temporary post on the true line for the cor. of sec. 32 133 from which, Oak 14 in diam. bears N 6 E. 60 lbs. cash under W Oak 20 " " " S 29 E. 3 " "	

West	On the line On the South B. of sec. 32. T. 10 N. R. 10 W.
40.00	Set a temporary 1/4 sec post on the line from which Locust 30 in diam. beam. S 87 E. 55 lbs. dist; to Do. 30 " " " S 78 N. 44 " "
80.00	Set a post temporary on the line for the cor. of sec. 31 & 32 from which W Oak 27 in diam. beam. N 37 N. 32 lbs. dist under Do. 15 " " " N 83 E. 23 " "

West	On the line On the South B. of sec. 31. T. 10 N. R. 10 W.
40.00	Set the temporary 1/4 sec post on the line from which Poplar 5 in diam. beam. N 18 E. 6 lbs. dist; to Hickory 12 " " " S 63 E. 49 " "
78.07	Set a post at the intersection (of the line 100 lbs. South of the post on of let at the intersection of the R. line.) for the cor. of T. 9 & 10 N. R. 10 & 11 W. from which W Oak 36 in diam. beam. N 70 N. 4 lbs. dist; to Hickory 13 " " " S 69 E. 71 " "

(West Boundary) T. 10 & 40. Apr. 11. 1814 C. 101.	
North	On the East B. of sec. 36 T. 9 N. R. 11 W.
40.00	Set a 1/4 sec post from which Beech 11 in diam. beam. North 14 lbs. dist; to Do. 9 " " " S 23 N. 15 " "
80.00	Set a post for the cor. of sec. 25 & 36. from which Sugar 10 in diam. beam. S 20 E. 37 lbs. dist; to Do. 18 " " " N 76 N. 29 " "
Said land and good for farming; Timber Beech, Sugar Ash Oak. Cym. &c.	

North	On the East B. of sec. 25. T. 9 N. R. 11 W.
40.00	Set a 1/4 sec post from which W Oak 12 in diam. beam. S 70 N. 35 lbs. dist; to W Oak 30 " " " N 11 E. 35 " "
80.00	Set a post for the cor. of sec. 24 & 25 from which

141

T. N. 9 N. R. N. 107 2nd Mer. Ind.

W Oak 14 in diam: here. S 20 E. 15 lbs ash; 10
 Poplar 30 " " " S 62 W. 48 " "
 Sand 1st 1/2 mile from. Last 1/2 mile more broken.
 Timber same.

North On the East B. of sec. 24. T. 9 N. R. 11 W.
 40.00 Set a 1/2 cu post from which
 Buck 11 in diam: here. S 42 W. 24 lbs ash; 10
 W Oak 9 " " " N 74 E. 18 " "
 45.00 Top Brook 15 lbs mid, same W.
 80.00 Set a post for the cor of sec. 13 & 24 from which
 Elm 11 in diam: here. S 4 W. 11 lbs ash; 10
 Elm 12 " " " N 2 E. 21 " "
 Sand 1st 1/2 mile good for farming; rich sub.
 Last 1/2 mile low river bottom.

North On the East B. of sec. 13. T. 9 N. R. 11 W.
 7.50 Top Brook 30 lbs mid, same W.
 40.00 Set a 1/2 cu post from which
 Hackberry 18 in diam: here. S 68 W. 36 lbs ash; 10
 Box Elm 10 " " " N 88 E. 58 " "
 47.11 Top Baymore Brook 200 lbs mid, same W.
 80.00 Set a post for the cor of sec. 12 & 13 from which
 Hack 12 in diam: here. S 23 E. 44 lbs ash; 10
 Hackberry 10 " " " N 65 W. 20 " "
 Sand river bottom rich and overflows. Timber
 Elm, Hick, Hackberry, Locust &c.

North On the East B. of sec. 12. T. 9 N. R. 11 W.
 40.00 Set a 1/2 cu post from which
 Elm 17 in diam: here. N 51 E. 19 lbs ash; 10
 Elm 18 " " " S 22 W. 5 " "
 80.00 Set a post for the cor of sec. 1 & 12 from which
 Elm 9 in diam: here. S 16 W. 33 lbs ash; 10
 Locust 18 " " " N 8 W. 16 " "
 Sand 1st rate bottom which seldom by overflows

I. N. 9 N. R. N. 1077 2nd (Mo. Ind.) ¹⁴³

38.00	To a Brook 60 lbs mid, Green I.
40.00	Set a 7 th support from white, Beak 20 in air: beam. 92677- 116 inch; 70 Do. 24 " " " 153 E. 20 " "
80.00	Set a post for the cor of eus 23, 24, 25 & 26 from white, Beak 12 in air: beam. 97877- 5 lbs inch; 70 Do. 15 " " " 11177- 23 " " Sand not and work
East	On a Random line between Dec 24 & 25 I. 9 N. R. 1077
40.00	Set a temp 7 th support.
48.00	To a Brook 50 lbs mid Green I. N.
79.88	Enter out the East B. 12 lbs South of the first cor of Dec 24 & 25. Sand the same.
West	On the same line South B. 1 of Dec 24, I. 9 N. R. 1077.
39.94	Set the temp 7 th support at the cor dish on the same line from white, Sugar. 15 in air: beam. 97177 35 lbs inch conceal Beak. 30 " " " 11.9 E. 15 " "
79.88	To the post cor of eus 23, 24, 25 & 26.
North	Return Dec 23 & 24. I. 9 N. R. 1077.
30.00	To a Brook 15 lbs air, Green I. N.
40.00	Set a 7 th support from white, Beak 12 in air: beam. West 13 lbs inch; 70 W. Oak. 6 " " " 162 E. 8 " "
80.00	Set a post for the cor of eus 13, 14, 23 & 24 from white, A Beak 10 in air: Stand for the sw. cor.
East	On a Random line between Dec 13 & 24 I. 9 N. R. 1077
40.00	Set a temp 7 th support
80.00	Enter out the East B. 55 lbs South of the post cor of Dec 13 & 24. Sand work Smith Beak, Cap & Nails

West On the line between Sec. 13 & 24 T. 9 N. R. 10 W.
 40.00 Set the trap for support at the on dish on the line
 from which, B. Oak. 20 in dist. from N 79 E 80 ft. Road
 80.00 To the post on of sec. 13. 14. 23 & 24

North Return Sec. 13 & 24 T. 9 N. R. 10 W.
 18.50 To N Oak. 24 in dist. on the line.
 40.00 Set a trap support from which,
 B. Oak. 20 in dist. from N 70 W. 4 ft. the net; 73
 Sugar. 8 " " " N 87 W. 15 " "
 80.00 Set a post for the cor of sec. 11. 12. 13 & 14 from which,
 B. Oak. 12 in dist. from S 73 W. 4 ft. the net; 73
 Do. 12 " " " S 84 W. 18 " "
 Same the same.

East On a Run down line between Sec. 12 & 13. T. 9 N. R. 10 W.
 40.00 Set a trap for support
 79.80 Set out the East B. 75 ft. South of the post on of
 Sec. 12 & 13.
 Sand land; Timber B. Oak, Ash & Hickory

West On the line between Sec. 12 & 13 T. 9 N. R. 10 W.
 39.40 Set the trap for support at the on dish on the line
 from which, B. Oak. 12 in dist. S 64 E. 9 ft. the net; 73
 79.80 Do. 10 " " " S 76 W. 36 " "
 To the post on of sec. 11. 12. 13 & 14

North Return Sec. 11 & 12 T. 9 N. R. 10 W.
 40.00 Set a trap support from which,
 N Oak. 20 in dist. from S 60 E. 7 ft. the net; 73
 Dogwood 6 " " " N 67 W. 28 " "
 80.00 Set a post for the cor of sec. 1. 2. 11. 12 from which,
 Hickory 20 in dist. from S 7 E. 59 ft. the net; 73
 Sand land Timber Poplar B. Oak & Oak; Fr. W. of
 Spruce & Birch.

145

T. N. 9 N. R. N. 10 W. 2nd Mer. Ind.

East Oak Run am line between Sec 1 & 2 T. 9 N. R. 10 W.
40.00 Top Brook 12 1/2 mls wide, Center S.

40.00 Set a trap 7 1/2 cu post.

80.00 Set out the East B. 110 mls South of the post on of
Sec. 1 & 2

Land had on a timber Beach.

West Oak Run am line between Sec 1 & 2 T. 9 N. R. 10 W.

40.00 Set a trap 7 1/2 cu post at the creek on the am line
from which Beach 12 in dist. from S 84 E. 31 mls dist
am dist. Do. 12 " " N 62 E. 30 " "

80.00 To the post on of sec. 1, 2, 11, & 12.

North Between Sec 1 & 2 T. 9 N. R. 10 W.

40.00 Set a trap post from which
Sugan. 24 in dist. from N 6 E. 42 mls dist; top
Eugen. 12 " " " N 74 E. 34 " "

81.68 Set out the N. B. 55 mls East of the post on of
Sec. 35 & 36. T. 10 N. R. 10 W. and set a post for the cu.
" 1 & 2 from which

Sugan. 20 in dist. from S 27 E. 20 mls dist; top
Eugen. 10 " " " S 66 N. 31 " "
Land same. Feb. 7 11. 18. 14

North Between Sec 34 & 35 T. 9 N. R. 10 W.

28.00 Top Pond 400 mls wide.

40.00 Set a trap post from which
Beach 12 in dist. from N 25 N. 25 mls dist; top
Do. 20 " " " N 74 E. 19 " "

80.00 Set a post for the cu of sec. 26, 27, 34 & 35 from which
Heute 12 in dist. from N 14 E. 45 mls dist; top
Beach 20 " " " S 88 N. 25 " "

Land with Timber Beach, Sugar, ash, Heute

East Oak Run am line between Sec 26 & 35 T. 9 N. R. 10 W.

30.00 Top Brook 100 mls wide Center S.

T. N. 9 N. R. N. 10 NW 2nd (M. S. 1st)

40.00 Set a temp. 1/4 su post.
 81.00 Enter cut to NTS line 41 lks South of the post
 cr. of lvs. 25, 26, 35 & 36.
 Land the same.

West On the new line between lvs. 26 & 35. T. 9 N. R. 10 NW
 40.50 Set the temp. 1/4 su post at the cr. dish on the new line
 from which,
 81.00 To the post cr. of lvs. 26, 27, 34 & 35.

North Between lvs. 26 & 27. T. 9 N. R. 10 NW.
 2.00 To a Brook 10 lks mid., corner N.E.
 40.00 Set a su post from which,
 Brook 10 in dist. from. N 10 E. 27 lks dish; to
 N Oak 13 " " " S 75 W. 20 " "
 52.00 To a Poplar 40 in dist. in the line.
 81.00 Set a post for the cr. of lvs. 22, 23, 26 & 27 from which,
 Brook 12 in dist. from. N 83 W. 10 lks dish; to
 Ely 12 " " " S 72 E 11 " "
 Land of timber same.

East On the new line between lvs. 23 & 26. T. 9 N. R. 10 NW
 29.00 To a Brook 10 lks mid., corner S.
 40.00 Set a temp. 1/4 su post.
 48.00 To a Brook 35 lks mid., corner S.W.
 80.00 Enter cut to NTS line 18 lks north of the post cr.
 of lvs. 23, 24, 25 & 26.
 Land the same.

West On the new line between lvs. 23 & 26. T. 9 N. R. 10 NW
 40.00 Set the temp. 1/4 su post at the cr. dish on the new line
 from which, Sugar 10 in dist. from. N 6 E. 19 lks dish
 cr. of lvs. Brook 10 " " " S 38 W. 10 " "
 80.00 To the post cr. of lvs. 22, 23, 26 & 27

North Between lvs. 22 & 23. T. 9 N. R. 10 NW.

147

T. N. 9 N. R. N. 10 W. Quad. Mer. Ind.?

28.50 Top Brook 12 lks mid, Corner S.W.
 40.00 Set a $\frac{1}{4}$ super post from which
 W Oak 12 in dist. bears N 19 E. 9 lks dist; by
 Brook 10 " " " S 27 E. 16 " "
 80.00 Set a post for the cor of sec. 14, 15, 22 & 23 from which
 Maple 20 in dist. bears N 19 W. 31 lks dist; by
 Do 8 " " " S 75 E. 16 " "
 Same the same.

East One Random line between Sec. 14 & 23. T. 9 N. R. 10 W.
 14.00 Top Brook 20 lks mid, Corner S.
 40.00 Set a temp. $\frac{1}{4}$ super post.
 79.95 Set out the N 15 line 8 lks South of the post cor of
 Sec. 13, 14, 23 & 24.
 Same the same.

West One Random line between Sec. 14 & 23. T. 9 N. R. 10 W.
 39.97 $\frac{1}{2}$ Set the temp. $\frac{1}{4}$ super post at the cor dist. on the line
 from which, Brook 24 in dist. bears S 26 E. 29 lks dist
 same, Do. 20 " " " S 36 W. 40 " "
 79.95 Set the post cor of sec. 14, 15, 22 & 23.

North Return Sec. 14 & 15 T. 9 N. R. 10 W.
 7.00 Top Brook 20 lks mid, Corner S.E.
 40.00 Set the $\frac{1}{4}$ super post from which
 W Oak 20 in dist. bears N 80 W. 10 lks dist; by
 Brook 20 " " " S 38 E. 24 " "
 80.00 Set a post for the cor of sec. 10, 11, 14 & 15 from which
 Brook 20 in dist. bears S 58 E. 13 lks dist; by
 Do. 20 " " " N 47 W. 12 " "
 Good land and rich; Timber Sugar Ash &c.

East One Random line between Sec. 11 & 14 T. 9 N. R. 10 W.
 40.00 Set a temp. $\frac{1}{4}$ super post
 79.75 Top Brook 12 lks mid, Corner S.
 80.10 Set out the N 15 line 10 lks South of the post cor of

11. 12. 13 & 14.

Saw the same.

West Between Dec 11 & 14 On the true line J. A. N. R. 1071
 40.05 Set the trap 7th report at the air dash on the true line
 from which, Buck 12 in dist. from. N 78 W. 21 lbs dash;
 made a Sugar. 10 " " " S 21 E. 21 " "
 80.10 To the post on of ew. 10 11. 14 & 15.

North Between Dec 10. & 11. J. A. N. R. 1071.
 40.00 Set a 7th report from which on
 Ebor. 20 in dist. from. N 85 W. 23 lbs dash; on
 Buck 20 " " " S 33 E. 44 " "
 80.00 Set a post for the on of ew. 2, 3. 10 & 11. from which;
 Sashapad 10 in dist. from N 89 W. 10 lbs dash; on
 Do. 10 " " " S 56 E. 18 " "
 Saw a rich; Tombs Sugar, Oak, Buck, Ash &
 Poplar. Meads &c.

East On a R on arm line between Dec 2 & 11. J. A. N. R. 1071
 40.00 Set a trap 7th report
 79.80 Set a post on the N 5 W line 10 lbs North of the post on
 of ew. 1. 2. 11 & 12
 Saw the same.

West On the true line between Dec 2 & 11. J. A. N. R. 1071
 39.90 Set the trap 7th report at the air dash on the true line
 from which, W Ash. 12 in dist. from. S 47 W. 33 lbs dash;
 made a B Oak 24 " " " S 14 W. 33 " "
 79.80 To the post on of ew. 2, 3. 10 & 11.

North Between Dec 2 & 3. J. A. N. R. 1071
 40.00 Set a 7th report from which;
 Sugar. 12 in dist. from. N 48 W. 39 lbs dash; on
 W Ash 20 " " " S 51 E. 8 " "
 81.50 Set a post on the N 6 W line 30 lbs East of the post on of

T. N. 9 N. R. N. 10 N. 2nd. Nw. Sec. 149

Sec. 34 & 35. T. 10. N. R. 10 N. and set apart for the con.
of sec. 2 & 3 from which
Beck 12 in air beam N 35 E. 10 lbs. dist; 27
Ho. 29 " " " N 45 W. 18 " "
Land the same. Feb. 7. 18 14

North Return Sec. 33 & 34 T. 9 N. R. 10 N.
40.00 Set a 7/8 sa post from which
W. Oak 30 in air beam N 44 E. 15 lbs. dist; 27
Heiky 10 " " " N 50 W. 50 " "
80.00 Set apart for the con of sec. 27, 28, 33 & 34 from which
W. Oak 30 in air beam N 44 E. 21 lbs. dist; 27
Beck 20 " " " N 38 W. 61 " "
Land the same for Oak & Hickory;

East Open Kanam line between Sec. 27. Bk. T. 9 N. R. 10 N.
14.50 To a River N. 12 lbs. dist. Lemme J.
40.00 Set a temporary 7/8 sa post.
79.75 Set out the N. V. S. line 12 lbs. South of the post. con of
Sec. 26, 27, 34 & 35.
Land the same.

West On the new line between Sec. 27. Bk. T. 9 N. R. 10 N.
39.87 1/2 Set the temporary 7/8 sa post at the ar dist on the new line
from which, Sugar 10 in air beam N 36 W. 35 lbs. dist
image a Beck 10 " " " N 32 E. 21 " "
79.75 To the post con of sec. 27, 28, 33 & 34

North Return Sec. 27 & 28. T. 9 N. R. 10 N.
40.00 Set a 7/8 sa post from which
Beck 20 in air beam N 17 E. 19 lbs. dist; 27
Ho. 12 " " " N 48 W. 21 " "
75.00 To a River N. 5 lbs. dist. Lemme J. E.
80.00 Set apart for the con of sec. 21, 22, 27 & 28 from which
Sugar 30 in air beam N 15 E. 15 lbs. dist; 27
Heiky 10 " " " N 3 E. 17 " "

J. N. 9 N R. N. 1877 2nd Mr. Lard
Land the same.

East On a Random line between Jan. 22 & 27. J. 9 N R 10 N
29.00 Top Brook 10 lbs dish Corner J.
40.00 Set a trap 1/2 ft support
79.89 Enter cut the N V S line 10 lbs South of the first cut of
Jan. 22, 23, 26 & 27.
Land the same.

West On the same line between Jan. 22 & 27. J. 9 N R 10 N.
39.94 1/2 Set the trap 1/2 ft support at the ar dish on the same line
from which, N Oct 18 in dish beam. N 36 E. 16 lbs dish
and a dog 20. 20 " " " S 13 E. 20 " "
79.89 To the first cut of Jan. 21, 22, 26 & 27.

North Between Jan. 21 & 22 J. 9 N R 10 N.
40.00 Set a 1/2 ft support from which
N 10 E 10 in dish beam. S 34 E. 24 lbs dish; to
N 30 E 30 " " " N 40 N. 44 " "
80.00 Set a post for the cut off Jan. 15, 16, 21 & 22 from which
Sugar 12 in dish beam. S 16 E. 19 lbs dish; to
Dogwood 8 " " " N 61 E. 29 " "
Land had a de Bushy Spin Heazh. & Sassafras

East On a Random line between Jan. 15 & 22. J. 9 N R 10 N
40.00 Top Brook 15 lbs dish, Corner J.
40.00 Set a trap 1/2 ft support.
80.00 Enter cut the N V S line 12 lbs North of the first cut of
Jan. 14, 15, 22 & 23.
Land the same.

West On the same line between Jan. 15 & 22. J. 9 N R 10 N
40.00 Set the trap 1/2 ft support at the ar dish on the same line
from which, Red Bud 5 in dish beam. N 11 N. 22 lbs dish
and a Sassafras 6 " " " S 46 E. 14 " "
80.00 To the first cut of Jan. 15, 16, 21 & 22.

T. N. 9 N. R. N. 1077 2nd Mer. 151
Dud?

North Return Dec 15 & 16, T. 9 N. R. 1077.
40.00 Set a 1/4 cu post from whisks,
Heads 20 in dia. beams. S 31 E. 69 lbs dish; &
W Oak 24 " " " N 74 W 44 " "
80.00 Set a post for the cu of sec. 9. 10. 15 & 16 from whisks,
Dog wood 8 in dia. beams. S 27 N. 50 lbs dish; &
Sugar 10 " " " N 14 W. 12 " "
Sund the same. Timber Oak & Hick
Feb. 7 13. 1814

East On a Random line between Dec 10 & 15 T. 9 N. R. 1077
40.00 Set a temporary 1/4 cu post
50.00 Iron Brook 10 lbs, mica, brown I.
79.50 Set a post on the N 13 line 10 lbs South of the post cu of
Dec. 10, 11 14 & 15.
Sund very brushy

West On the true line Between Dec 10 & 15 T. 9 N. R. 1077
39.75 Set the temporary 1/4 cu post at the cu dish on the true line from
whisks, Sugar 20 in dia. beams. West 50 lbs dish
79.50 To the post cu of Dec. 9. 11. 15 & 16.

~~North Return Dec 9 & 10. T. 9 N. R. 1077.
40.00 Set a 1/4 cu post from whisks,
Heads 12 in dia. beams. S 26 E. 22 lbs dish; &
Do. 10 " " " S 77 W 23 " "~~

North Return Dec 9 & 10. T. 9 N. R. 1077.
40.00 Set a 1/4 cu post from whisks,
Oak 21 in dia. beams. N 40 E. 31 lbs dish;
80.00 Set a post for the cu of sec. 3. 4. 9 & 10 from whisks,
Heads 12 in dia. beams. S 26 E. 22 lbs dish; &
Do. 10 " " " S 77 W 23 " "
Sund the same

East On a Random line between Dec 3 & 10 T. 9 N. R. 1077

40.00 Set a trap for a report
 49.80 Enter east the N & S line 8 lbs north of the first cu of ew.
 2.310 & 11.
 Same as the same.

West On the line between Dec 3 & 4. J. 9 N. R. 1877
 39.90 Set the trap for a report at the ar arch on the line from
 which, Buck 12 in clear beam. N 50 E. 7 lbs north;
 middle 20. 15 " " " S 62 E. 20 " "
 49.80 Set the first cu of ew. 3. 4. 9 & 10.

North Between Dec 3 & 4. J. 9 N. R. 1877.
 31.50 To a Brook 8 lbs north, corner N.
 40.80 Set a trap for a report from which,
 Elgin 12 in clear beam. S 47 N. 17 lbs north; &
 W Oak 9 " " " N 19 E. 11 " "
 63.50 To a W Oak 10 in clear beam in the line
 80.63 Enter east the N & S line 127 lbs east of the first cu of
 ew. 33 & 34. J. 10 N. R. 1877. and set a report for the cu
 of " 3 & 4. from which again.
 Elm. 10 in clear beam S 107 N. 15 lbs north; &
 B Oak 20 " " " N 57 N. 14 " "
 Same as the same. Feb 14. 1874

North Between Dec 32 & 33 J. 9 N. R. 1877.
 40.00 Set a trap for a report from which,
 Buck 20 in clear beam. N 10 W 20 lbs north; &
 80.00 Set a report for the cu of ew. 28 29 32 & 33 from which,
 Poplar 30 in clear beam. N 20 E. 10 lbs north; &
 B Walnut 3 " " " S 47 N. 30 " "
 Same as the same. Enter Poplar Ash & Oak.

East On a R. on line Between Dec 28 & 33. J. 9 N. R. 1877
 40.00 Set a trap for a report
 80.00 Enter east the N & S line 12 lbs south of the first cu of ew
 27 28 33 & 34

J. N. G. N. R. No 1077 2nd. Mr. 153

Land the same.

West On the New line between Dec 28 1833. J. N. G. N. R. 1077
40.00 Set the temp. 1/4 report at the ar dish on the New line
from which, W Oak 20 in dia. beam. 23 E. 15 lbs dish
anpen W Oak 10 " " " 21 W. 16 " "
80.00 Set the post on of Dec 28. 29. 32 1833.

North Return Dec 28 1829. J. N. G. N. R. 1077.
15.00 Top Brook. 12 lbs. mile, crossed 8 times lower NW.
40.00 Set a 1/4 report from which
" " " " " 88 W. 6 lbs. dish; 1/2
W Oak. 20 in dia. beam. 40 E. 39 " "
80.00 Set a post for the on of Dec 20. 21. 28 1829. from which
W Oak 4 in dia. beam. 24 E. 12 lbs. dish; 1/2
Dec. 3 " " " 5 W. 4 " "
Land de Bushy timber Oak & Hick

East On a R. and m. line between Dec 21 1828 J. N. G. N. R. 1077
40.00 Set a temp. 1/4 report.
79.94 Set a post on the N 1/2 line 12 lbs. South of the post on of Dec
21. 22. 27. 1828.
Land de the same.

West On the New line between Dec 21 1828 J. N. G. N. R. 1077
39.97 Set the temp. 1/4 report at the ar dish on the New line
from which, W Oak 18 in dia. beam. 55 E. 29 lbs. dish;
an de W Oak. 5 " " " 16 E. 27 " "
49.94 Set the post on of Dec 20. 21. 28 1829.

North Return Dec 20 1821. J. N. G. N. R. 1077.
40.00 Set a 1/4 report from which
Maple. 10 in dia. beam. 5 W. 16 lbs. dish; 1/2
W Oak. 10 " " " 38 E. 16 " "
80.00 Set a post for the on of Dec 16. 17. 20 1821. from which
Maple. 12 in dia. beam. 28 E. 18 lbs. dish; 1/2

B Oak. 24 in dia^r beam. N 3 N 36 lbs dish;
 Sand very brashy timber same.

East On a Roman line between Sur 16 & 21. J. 9 N. R. 10 N
 40.00 Set a trip 1/4 sa post of
 64.50 To a Brook 10 lbs wide, corner N N.
 80.16 Intersect the N 13 line 8 lbs South of the post on of sur
 15.16. 21 & 22
 Sand & the same.

West On the line between Sur 16 & 21. J. 9 N. R. 10 N
 40.58 Set the trip 1/4 sa post at the or dish on the line
 from which, B Oak. 20 in dia^r beam. West. 4 lbs dish
 80.16 To the post on of sur 16. 17. 20 & 21.

North Between Sur 16 & 17. J. 9 N. R. 9 N
 40.00 Set a 1/4 sa post from which
 Beech. 12 in dia^r beam. N 13 N 12 lbs dish; &
 Poplar. 10 " " N 14 N 44 " "
 80.50 Set a post for the cor of sur. 8. 9. 16 & 17 from which
 Hick 10 in dia^r beam. N 25 N 24 lbs dish; &
 N Oak 20 " " " N 35 E 32 " "
 Sand & the same.

East On a Roman line between Sur 9 & 16. J. 9 N. R. 10 N
 40.00 Set a trip 1/4 sa post.
 80.40 Intersect the N 13 line 20 lbs North of the post on
 of sur. 9. 10. 15 & 16.
 Sand very brashy with spec Limb Oak & Hick

West On the line between Sur 9 & 16. J. 9 N. R. 10 N
 40.20 Set the trip 1/4 sa post at the or dish on the line
 from which, B Oak 20 in dia^r beam West 50 lbs dish
 80.40 To the post on of sur. 8. 9. 16 & 17.

North Between Sur 8 & 9. J. 9 N. R. 10 N

North Between Dec. 31 & 32 T. 9 N. R. 15 W.
 40.00 Set a 1/4 cu post from which,
 Sugar. 12 in diam. beams. S 29 E. 23 lbs ash; 75
 40.10 " " " " S 89 E. 12 " "
 80.00 Set a post for the cr of eus. 29, 30 31 & 32 from which,
 Beam 20 in diam. beams. S 59 W. 29 lbs ash; 75
 B Mahmut 15 " " S 57 W. 25 " "
 Soil thin Limb Oak & Hickory

East Oak & Elm line between Dec. 29 & 30 T. 9 N. R. 10 W.
 40.00 Set a transp. 1/4 cu post.
 70.50 To a Brook 20 lbs mid, across N. W.
 80.00 Subcut the N. W. line 20 lbs South of the first cross
 Eus. 28, 29, 32 & 33.
 Soil de the same.

West Oak & Elm line between Dec. 29 & 30 T. 9 N. R. 10 W.
 40.00 Set the transp. 1/4 cu post at the cr dash on the Elm line
 from which, Beam. 20. in diam. beams. S 80 E. 15 lbs ash
 made on Elm. 10 " " " " S 89 W. 35 " "
 80.00 To the first cr of eus 29, 30 31 & 32

West Between Dec 30 & 31 T. 9 N. R. 10 W.
 32.00 To a Brook. 5 lbs mid, across N. W.
 40.00 Set a 1/4 cu post from which,
 N. W. 12 in diam. beams. S 50 E. 13 lbs ash; 75
 Beam 20 " " " " West 25 " "
 63.50 To a Brook. 5 lbs mid, across N. W.
 79.50 Subcut the West B. 16 lbs South of the first cr of
 Dec. 25 & 36. T. 9 N. R. 11 W. on a set a post for the cr of
 " 30 & 31 from which,
 Sugar. 10 in diam. beams. S 66 E. 5 lbs ash; 75
 40.10 " " " " S 53 E. 8 " "
 Sand rolling Timber Beam, Ash Oak & Poplar
 Feb. 17, 1844

T. No 9 N.R. No 1072nd (New Land) 157

North	Between Dec 29 & 30 of 9 N.R. 1072.
40.00	Set a 1/4 section from which Sugar 8 in dia' bears. S 65 N. 17 lbs ash; & 75 Do. 12 " " " N 24 E. 28 " "
59.00	To a Brook. 10 lbs mid., leaves N.
80.00	Set a post for the cr of sec. 19, 20, 29 & 30 from which Oak. 12 in dia' bears. S 23 E. 26 lbs ash; & 75 Do. 10 " " " N 29 E. 27 " " Same as the same.
East	On a Roman line between Dec 28 & 29 of 9 N.R. 1072.
10.00	To a Brook. 10 lbs mid., leaves S.
40.00	Set a trumpet 1/4 section
79.90	Inter cut the N & S line 8 lbs. South of the post cr of Sec 20, 21, 28 & 29 Same as the same.
West	On the line between Dec 20 & 29 of 9 N.R. 1072.
39.95	Set the trumpet 1/4 section at the ar dist on the line from which Hick 20 in dia' bears. N 26 E. 20 lbs ash; and a Do. 20 " " " S 29 N. 31 " "
79.90	To the post cr of sec 19, 20, 29 & 30.
West	Between Dec 19 & 30 of 9 N.R. 1072.
26.25	To a Oak. 40 in dia' in the line.
40.00	Set a 1/4 section from which Beech. 12 in dia' bears. S 12 N. 20 lbs ash; & 75 Hick 15 " " " N 50 N. 27 " "
63.00	To a Brook. 10 lbs mid., leaves N.N.
74.00	" " " 10 " " " " "
79.75	Inter cut the West 737 52 lbs North of the Post cr. Sec. 24 & 25 of 9 N.R. 1172 and set a post for the cr. " " 19 & 30 from which Hick 12 in dia' bears. N 75 E. 54 lbs ash; & 75 Oak. 8 " " " N 66 N. 44 " " Same as the same.

North	Between Dec 19 & 20 I. 9 N R 10 W.
40.00	Set a 1/2 sa post from which Poplar 20 in diam. trans. S 9 W. 32 lbs dist; 1/2 W Oak R. 8 " " " N 5 E. 28 " "
43.50	To a Brook 15 lbs up, Corner W.
80.00	Set a post for the cor of sec 17, 18, 19 & 20 from which Beak 20 in diam. trans. S 6 E. 23 lbs dist; 1/2 Dogwood 10 " " " S 41 W. 26 " " Land de the same.
East	Ogakanam line between Dec 17 & 20. I. 9 N R 10 W
40.00	Set a trip post for sec post.
80.10	Intersect the N 43 line 18 lbs South of the post cor of Secs 17, 18, 19 & 20. Land rolling Timber Oak & Hickory.
West	On the same line between Dec 17 & 20 I. 9 N R 10 W
40.05	Set the trip post for sec post at the cor dist in the same line from which W Oak 20 in diam. trans. S 60 E. 36 lbs dist and a D. 12 " " " S 82 E. 49 " "
80.10	To the first cor of sec 17, 18, 19 & 20
West	Between Dec 18 & 19 I. 9 N R 10 W
5.00	To a Brook 10 lbs up, Corner N W [The remainder of this line is wanting] See page 161
North	Between Dec 17 & 18 I. 9 N R 10 W
40.00	Set a 1/2 sa post from which Hickory 8 in diam. trans. S 7 W 34 lbs dist; 1/2 W Oak. 20 " " " N 28 E. 24 " "
40.00	To a Brook 15 lbs up, Corner W
80.00	Set a post for the cor of sec 7, 8, 17 & 18 from which Cypress 20 in diam. trans. S 6 E. 29 lbs dist; 1/2 Poplar 20 " " " N 34 W 24 " " Land de the same

159

T. N. 9 N. R. 1. 10th 2nd Am. Ind.

East	On a Ranam line between Sec 8 & 17 T. 9 N. R. 10 W.
40.00	Set a temporary support.
49.00	To a Brook 10th mile, Corner N.
80.00	Intersect the N. 15 line 5th North of the first cor of Sec. 8-9-16 & 17. Same as the same.
West	On the true line between Sec. 8 & 17 T. 9 N. R. 10 W.
40.00	Set a temporary support at the creek on the true line from which, Hicks is in dist. from N 60 E 52th creek, and a Do. 12 " " N 82 W 50 " "
80.00	To the first cor of sec. 7, 8, 17 & 18
West	Between Sec. 7 & 18, T. 9 N. R. 10 W.
25.00	To the water from the Matash River [the remainder of this line is wanting] see page 161
North	Between Sec. 7 & 8, T. 9 N. R. 10 W.
12.00	To a Brook 15th mile, Corner N.
40.00	Set a temporary support from which, N. 40 E 9 in dist. from S 53 E 17th creek; to Maple. 12 " " N 75 E 22 " "
55.00	To a Brook 20th mile, Corner W.
80.00	Set a post for the cor of sec. 5, 6, 7 & 8 from which, Hicks 20 in dist. from S 65 W 27th creek; to Do. 12 " " S 89 E 38 " " Same as the same.
East	On a Ranam line between Sec 5 & 8 T. 9 N. R. 10 W.
39.75	To a Brook 20 miles wide, Corner E. W.
40.00	Set a temporary support
79.75	Intersect the N. 15 line 10th North of the first cor of Sec. 4, 5, 8 & 9. Same as Brook and Brushy Timber Oak & Hicks
West	On the true line between Sec. 5 & 8 T. 9 N. R. 10 W.

T. 9 N. R. 10 W. 2nd Mer. Ind. 161

ck. Lk. [Notes omitted in proper place.]
 West Between Sect. 6 & 7
 10.50 a B. Oak 10 in. diam.
 29.00 To high water from the Wabash River
 [continued subsequently:]
 34.50 a road leading N. & S.
 35.50 a pond 200 link, wide, N. & S.
 40.00 Set gp. Sec. post, from which a
 Maple 24 in. dia. bears S 76 E 59 lks.
 W. ash 15 " " " S 72 W 39 "
 80.74 Intersected West boundary 73 link, north
 of post. Set post from which an
 Elm 24 in. dia. bears N 89 E 30 lks.
 Do 18 " " " S 1 E 13 "
 Land level & wet - timber Hickory, ash,
 Oak, elm.

West Between Sect. 7 & 18
 25.00 High water from the Wabash River
 30.00 a Road leading N. & S.
 40.00 a Hickory 12 in. diam. for gp. Sec. corner
 78.00 a Brook 175 link, wide, course south
 80.20 Intersected West boundary at post.
 Land the same.

West Between Sect. 18 & 19
 5.00 a brook 10 link, wide, course N.W.
 6.00 a brook 4 link, wide, course NW
 25.00 a B. Oak 24 in. diam.
 40.00 a Hickory 18 in. diam. for gp. Sec. corner
 50.00 a Road leading N. & South
 80.02 Intersected West boundary 14 link, south of post.
 Set post from which an
 Elm 18 in. dia. bears S 68 E 19 lks, dist.
 Do 12 " " " N 6 W 34 " "
 Land level & rich, timber same.